

Safety data sheet

Safety data sheet according to Regulation (EC) No. 1907/2006Date / Revised:2019/02/13 Version: 2.1TRADE NAME:ETG – YOUR LIFETIME PARTNERProduct:TRANSMISSON FLUID MB14Article No.:01.01.98.128901EAN:4051792289018Ref.MB 236.14HS code:27101987

Date of print: 13.02.2019

SECTION 1: Identification of the substance / mixture and of the company / undertaking

Product identifier
 ETG TRANSMISSON FLUID MB14
 EAN: 4051792289018
 Ref. No: MB 236.14
 Relevant identified uses of the sultimeters

Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture: A synthetic multi-vehicle ATF formulated to meet the perfor- mance needs of most North American, Asian and European automatic transmissions.

Details of the supplier of the safety data sheet Meyer-Glitza, Frese GmbH & Co. KG Kirchweg 130 - 132 D-24558 Henstedt-Ulzburg +49 (0) 40 / 2360902-0+49 (0) 40 / 23609-22 info@meyer-glitza.de www.etg-de

1.4 Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum		+49 (0) 551/19240	
	Nord (Göttingen)			

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture.

2.2. Label elements

Labelling (REGULATION (EC) No 1272/2008) Not a hazardous substance or mixture

Additional labelling:

EUH208 May produce an allergic reaction.

EUH210 Safety data sheet available on

Contains: Acetamide, 2-hydroxy-, N,N-dicoco alkyl derivs. and 1,2-Propanediol, 3-amino-, N,N-dicoco alkyl derivs. and 1-(tert-dodecylthio)propan-2-ol and Benzene, polypropene derivatives, sulfonated, calcium salts and C14-18 alpha-olefin epoxide, reaction products with boric acid



contact:





2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

3.1. Mixture

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)
	Index-No. Registration		
	number		
lubricating oils (petroleum), C15- 30,	72623-86-0	Asp. Tox. 1; H304	50 - 70
hydrotreated neutral oil-based	276-737-9		
	01-2119474878-16-0001		
Mineral oil		Asp. Tox. 1; H304	1 - 10
distillates (petroleum), hydrotreat- ed	64742-55-8	Asp. Tox. 1; H304	1 - 10
light paraffinic	265-158-7		
Acetamide, 2-hydroxy-, N,N-		Skin Sens. 1B; H317	0.1 - < 1
dicoco alkyl derivs.	471-920-1		
1,2-Propanediol, 3-amino-, N,N-		Skin Sens. 1B; H317	0.1 - < 0.25
dicoco alkyl derivs.	482-000-4	Aquatic Chronic 3;	
		H412	
1-(tert-dodecylthio)propan-2-ol	67124-09-8	Skin Sens. 1; H317	0.1 - < 0.25
	266-582-5	Aquatic Acute 1;	
		H400	
		Aquatic Chronic 1;	
		H410	
Benzene, polypropene deriva- tives,		Skin Sens. 1B; H317	0.1 - < 1
sulfonated, calcium salts			
C14-18 alpha-olefin epoxide, re-action		Skin Sens. 1B; H317	0.1 - < 1
products with boric acid	939-580-3		

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

If inhaled:	Move to fresh air.
	Artificial respiration and/or oxygen may be necessary. Seek medical advice.
In case of skin contact:	In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes.
	Wash skin thoroughly with soap and water or use recognized skin cleanser.
	Wash clothing before reuse.
	Seek medical advice.
In case of eye contact:	Remove contact lenses.
	Rinse immediately with plenty of water, also under the eyelids, for at least 15
	minutes.
	Obtain medical attention.



contact:





If swallowed:

Rinse mouth with water.

DO NOT induce vomiting unless directed to do so by a physi- cian or poison control center.

Never give anything by mouth to an unconscious person. Seek medical advice

- 4.2. Most important symptoms and effects, both acute and delayed
- No further
 No further
 No further relevant information

 4.3.
 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.

Unsuitable extinguishing media

No information available.

5.2. Special hazards arising from the substance or mixture

•	opecial hazaras arising nom the substant	
	Specific hazards during fire-fighting:	Cool closed containers exposed to fire with water spray.
	Hazardous combustion products:	Carbon oxides (CO, CO2), nitrogen oxides (NOx), sulphur oxides
		(SOx), smoke and irritating vapours as products of incomplete

combustion.

5.3. Advice for firefighters

Further information:

Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1.	Personal precautions, protective equipment and emergency procedures		
	Personal precautions:	Use personal protective equipment. Ensure adequate ventilation. Evacuate personnel to safe areas. Material can create slippery conditions. Mark the contaminated area with signs and prevent access to unauthorized personnel. Only qualified personnel equipped with suitable protective equipment may intervene.	
6.2.	Environmental precautions		
	Environmental precautions:	If the product contaminates rivers and lakes or drains inform respective authorities.	
6.3.	Methods and material for containment and cleaning up		
	Methods for cleaning up:	Prevent further leakage or spillage if safe to do so. Remove all sources of ignition. Soak up with inert absorbent material. Non-sparking tools should be used. Ensure adequate ventilation. Contact the proper local authorities.	
6.4.	Reference to other sections		

For Personal protection see section 8



contact:





SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- For personal protection see section 8.
- Smoking, eating and drinking should be prohibited in the ap- plication area.
- In case of insufficient ventilation, wear suitable respiratory equipment.
- Avoid contact with skin, eyes and clothing. Do not ingest.
- Keep away from heat and sources of ignition. Keep container closed when not in use.

Advice on protection against fire and explosion

None known.

Hygiene measures

Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash face, hands and any exposed skin thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

- Store in original container. Containers which are opened must be carefully resealed and kept upright to prevent leakage.
- Keep in a dry, cool and well-ventilated place. Keep in properly labelled containers. To maintain product quality, do not store in heat or direct sunlight.

7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

8.2. Exposure controls

Eye protection: Hand protection	Wear face-shield and protective suit for abnormal processing problems.
Material:	neoprene, nitrile, polyvinyl alcohol (PVA), Viton(R)
Remarks:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
Skin and body protection:	Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific workplace.
Respiratory protection:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
Filter type:	organic vapour filter
Protective measures:	Wash hands and face before breaks and immediately after handling the product.
	Wash contaminated clothing before re-use.
	Ensure that eyewash station and safety shower are proximal to the work- station location.



contact:





SECTION 9: Physical and chemical properties

9.1.	Information on basic physical an	d chemical properties
	Appearance:	viscous liquid
	Colour :	red
	Odour :	Mild petroleum oil like.
	Odour Threshold:	No data available
	pH:	No data available
	Pour point:	-54 °C (-65 °F)
	Boiling point/boiling range:	No data available
	Flash point:	182 °C (360 °F)
		Method: Pensky-Martens closed cup
	Fire Point:	223 °C (433 °F)
	Auto-Ignition Temperature:	No data available
	Evaporation rate:	No data available
	Flammability (solid, gas):	Low fire hazard. This material must be heated before ignition will occur.
	Upper explosion limit / Upper	
	flammability limit:	No data available
	Lower explosion limit / Lower	
	flammability limit:	No data available
	Vapour pressure:	No data available
	Relative vapour density:	No data available
	Relative density:	No data available
	Density:	0.8518 kg/l (15 °C / 59 °F)
	Solubility(ies)	
	Water solubility:	insoluble
	Partition coefficient: n-	
	octanol/water:	No data available
	Viscosity	
	Viscosity, kinematic:	36.1 cSt (40 °C / 104 °F)
		7.42 cSt (100 °C / 212 °F)
	Explosive properties:	Do not pressurise, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

9.2. Other Information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
- 10.2. Chemical stability
- **10.3. Possibility of hazardous reactions** Hazardous reactions:
- 10.4. Conditions to avoid Conditions to avoid:
 10.5. Incompatible materials Materials to avoid:
- **10.6.** Hazardous decomposition products Hazardous decomposition products:

Hazardous polymerisation does not occur. Stable under normal conditions.

No data available

Reactive with oxidising agents, reducing agents and acids.

May release COx, NOx, aldehydes, smoke and irritating va- pours when heated to decomposition.



contact:





SECTION 11: Toxicological information

Information on toxicological effects 11.1.

Information on likely routes of exposure:

Eye contact Ingestion Inhalation Skin contact

Acute toxicity

Product:

Acute oral toxicity: Remarks: No data available Acute inhalation toxicity: Remarks: No data available Acute dermal toxicity: Remarks: No data available

Components:

lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based:

iaminearing one (periorearing) er	5 56, nya.
Acute oral toxicity:	LD50 (F
Acute inhalation toxicity:	LC50 (R
	Exposu
	T + -+

Rat): > 5,000 mg/kg, Rat): > 5.2 mg/l ire time: 4 h Test atmosphere: dust/mist LD50 (Rabbit): > 2,000 mg/kg,

Acute dermal toxicity: Skin corrosion/irritation

Product: Remarks:

No data available

Serious eye damage/eye irritation Product:

No data available

Remarks: **Respiratory or skin sensitisation** No data available Germ cell mutagenicity No data available Carcinogenicity No data available **Reproductive toxicity** No data available **STOT** - single exposure No data available STOT - repeated exposure No data available

SECTION 12: Ecological information

12.1. Toxicity

Product:

Toxicity to fish: Toxicity to daphnia and other: aquatic invertebrates Toxicity to algae: Toxicity to microorganisms:

Remarks: No data available Remarks: No data available

Remarks: No data available Remarks: No data available

12.2. Persistence and degradability

Product:

Biodegradability: Remarks: No data available



contact:





- 12.3. Bioaccumulative potential
- No data available
- 12.4. Mobility in soil
- No data available
- 12.5. Results of PBT and vPvB assessment Not relevant
- 12.6. Other adverse effects No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product

The product should not be allowed to enter drains, water courses or the soil.

Offer surplus and non-recyclable solutions to a licensed dis- posal company.

Waste must be classified and labelled prior to recycling or disposal.

Send to a licensed waste management company.

Dispose of product residue in accordance with the instructions of the person responsible for waste disposal.

SECTION 14: Transport information

14.1. International Regulations IATA-DGR

Not regulated as a dangerous good **IMDG-Code** Not regulated as a dangerous good Remarks: ADR: Not Regulated ADN: Not Regulated RID: Not Regulated

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Water contaminating class: WGK 1 slightly water endangering (Germany)

The components of this product are reported in the following inventories:

		•
DSL:	On the inventory, or in com	pliance with the inventory
TSCA:	All chemical substances in t	nis product are either listed on the TSCA Inventory or
	are in compliance with a TS	CA Inventory exemption.
ELINCS:	On the inventory, or in com	pliance with the inventory

15.2. Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

- H304 May be fatal if swallowed and enters airways.
- H317 May cause an allergic skin reaction.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.



contact:





H412 Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute:	Acute aquatic toxicity	
Aquatic Chronic:	Chronic aquatic toxicity	
Asp. Tox.:	Aspiration hazard	
Skin Sens.:	Skin sensitisation	

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regula- tion; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN

- Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Cana- da); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - In-ternational Air Transport Association; IBC - International Code for the Construction and Equip- ment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentra- tion; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Mari- time Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisa- tion for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR -No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Develop- ment; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT -Persistent, Bioaccumu- lative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc- es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evalua- tion, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA -Toxic Sub- stances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, infor- mation and belief at the date of its publication. The information given is designed only as a guid- ance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.



Meyer-Glitza, Frese GmbH & Co. KG Kirchweg 130-132 DE-24558 Henstedt-Ulzburg tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922 <u>info@meyer-glitza.de</u>_www.etg.de



contact: