

## Safety data sheet

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 27.02.2019 Version: 1.0

**TRADE NAME: ETG – YOUR LIFETIME PARTNER**

**Product: Coolant Additive Concentrate BEN/JAG**

**Article No.: 09.01.02.100079**

**EAN: 4051792000798**

**Ref. for Bentley and Jaguar**

**HS code: 38200000**

Date of print: 10.04.2019

### SECTION 1: Identification of the substance / mixture and of the company / undertaking

#### 1.1 Product identifier

**Coolant Additive Concentrate BEN/JAG**

**EAN: 4051792000798**

**Ref. No: for Bentley and Jaguar**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Main use category: Industrial use, Professional use, Consumer use

Use of the substance/mixture: Enigne Coolant

#### 1.3 Uses advised against

No additional information available

#### 1.4 Details of the supplier of the safety data sheet

Meyer-Glitza, Frese GmbH & Co. KG

Kirchweg 130 - 132

D-24558 Henstedt-Ulzburg

+49 (0) 40 / 2360902-0 +49 (0) 40 / 23609-22

info@meyer-glitzza.de

www.etg-de

#### 1.5 Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum Nord (Göttingen)		+49 (0)551/19240	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4

Specific target organ toxicity - repeated exposure:

STOT RE 2

Hazard Statements:

Harmful if swallowed.

May cause damage to organs through prolonged or repeated exposure.

#### 2.2. Label elements

Regulation (EC) No. 1272/2008 [CLP]

**Hazard components for labelling**

ethanediol, ethylene glycol

**Signal word:** Warning

#### contact:

Meyer-Glitza, Frese GmbH & Co. KG

Kirchweg 130-132 DE-24558 Henstedt-Ulzburg

tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922

[info@meyer-glitzza.de](mailto:info@meyer-glitzza.de) [www.etg.de](http://www.etg.de)

**Pictograms:**



**Hazard statements**

H302 Harmful if swallowed.  
H373 May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 Wash hands thoroughly after handling.  
P270 Do not eat, drink or smoke when using this product.  
P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P330 Rinse mouth.  
P314 Get medical advice/attention if you feel unwell.  
P501 Dispose of contents/container to Dispose of waste according to applicable legislation.

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.1. Chemical characterisation:**

Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
107-21-1	ethanediol, ethylene glycol			45 - < 50 %
	203-473-3	603-027-00-1	01-2119456816-28	
	Acute Tox. 4, STOT RE 2; H302 H373			
19766-89-3	2-ethylhexanoic acid, sodium salt			1 - < 5 %
	243-283-8			
	Repr. 1B; H360FD			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**After inhalation**

Provide fresh air. Medical treatment necessary

**After contact with skin**

Wash with plenty of water. Immediately remove any contaminated clothing, shoes or stockings. Medical treatment necessary.

**After contact with eyes**

Rinse immediately carefully and thoroughly with eye-bath or water. In case of eye irritation consult an ophthalmologist.

**After ingestion**

Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

**4.2. Most important symptoms and effects, both acute and delayed**

No further relevant information available.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

## SECTION 5: Firefighting measures

**5.1. Extinguishing media**

**Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

**Unsuitable extinguishing media**

High power water jet.

**5.3. Special hazards arising from the substance or mixture**

Non-flammable.

**5.4. Advice for firefighters**

In case of fire: Wear self-contained breathing apparatus.

**5.5. Additional information**

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately.

Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

**6.1. Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

**6.2. Environmental precautions**

Do not allow to enter into surface water or drains.

**6.3. Methods and material for containment and cleaning up**

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal

**6.4. Reference to other sections**

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13.

## SECTION 7: Handling and storage

**7.1. Precautions for safe handling**

**Advice on safe handling**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas / fumes / vapour / spray.

**Advice on protection against fire and explosion**

No special fire protection measures are necessary.

**7.2. Conditions for safe storage, including any incompatibilities**

**Requirements for storage rooms and vessels**

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.  
Provide adequate ventilation as well as local exhaustion at critical locations

**Advice on storage compatibility**

No special measures are necessary.

**SECTION 8: Exposure controls/personal protection**

**8.1 Control parameters**

**Exposure limits (EH40)**

CAS No.	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
107-21-1	Ethane-1,2-diol, vapour	20	52		TWA (8 h)	WEL
		40	104		STEL (15 min)	WEL

**DNEL/DMEL values**

CAS No	Substance			
DNEL type	Exposure route	Effect	Value	
107-21-1	ethanediol, ethylene glycol			
Worker DNEL, long-term	inhalation	local	35 mg/m <sup>3</sup>	
Worker DNEL, long-term	dermal	systemic	106 mg/kg bw/day	
Consumer DNEL, long-term	inhalation	local	7 mg/m <sup>3</sup>	
Consumer DNEL, long-term	dermal	systemic	53 mg/kg bw/day	

**PNEC values**

CAS No	Substance	
Environmental compartment	Value	
107-21-1	ethanediol, ethylene glycol	
Freshwater	10 mg/l	
Marine water	1 mg/l	
Freshwater sediment	37 mg/kg	
Marine sediment	3,7 mg/kg	
Soil	1,53 mg/kg	

**8.2. Exposure controls**



**Appropriate engineering controls**

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

**Protective and hygiene measures**

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

**Eye/face protection**

Wear eye protection/face protection.

**Hand protection**

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it

is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

**Skin protection**

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

**General Information**

Physical state: Liquid  
 Colour : Violet  
 Odour : characteristic.  
 pH-value: 8,7

**Changes in condition**

Melting point: -18 °C  
 Initial boiling point and boiling range: 175 °C  
 Flash point: > 122 °C  
 Flammability (solid, gas): Not applicable.  
 Lower Explosion limits: Not determined  
 Upper Explosion limits: Not determined  
 Auto-ignition temperature (solid, gas): Not applicable  
 Decomposition temperature: Not determined

**Oxidizing properties**

Partition coefficient: Not determined  
 Vapour density: Not determined  
 Density: 1,113 g/cm<sup>3</sup>  
 Water solubility: easily soluble

**Solubility in other solvents**

Partition coefficient: Not determined  
 Vapour density: Not determined  
 Evaporation rate: Not determined

### 9.2. Other information

Solid content: Not determined

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

No further relevant information available.

### 10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3. Possibility of hazardous reactions

No known hazardous reactions

### 10.4. Conditions to avoid

None.

### 10.5. Incompatible materials

No information available.

### 10.6. Hazardous decomposition products

No known hazardous decomposition products.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### ATEmix calculated

ATE (oral) 1000,1 mg/kg

#### Acute toxicity

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
107-21-1	ethanediol, ethylene glycol				
	oral	ATE 500 mg/kg			
	dermal	LD50 10600 mg/kg	Rabbit	GESTIS	

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

## SECTION 12: Ecological information

### 12.1. Toxicity

The product is not: Ecotoxic.

#### Acute toxicity

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h]   [d]	Species	Source	Method
107-21-1	ethanediol, ethylene glycol					
	Acute fish toxicity	LC50 72860 mg/kg	96 h	Pimephales promelas (fathead minnow)	Experimental data	

### 12.2. Persistence and degradability

The product has not been tested.

### 12.3. Bioaccumulative potential

The product has not been tested.

CAS No	Chemical name	Log Pow
107-21-1	ethanediol, ethylene glycol	-1,36

### 12.4. Mobility in soil

The product has not been tested.

### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

#### Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

<b>UN-Number</b>	
ADR, ADN, IMDG, IATA	not regulated
<b>UN proper shipping name</b>	
ADR, ADN, IMDG, IATA	not regulated
<b>Transport hazard class(es)</b>	
ADR, ADN, IMDG, IATA	
<b>Class</b>	not regulated
<b>Packing group</b>	
ADR, IMDG, IATA	not regulated
<b>Environmental hazards:</b>	Not applicable.
<b>Special precautions for user</b>	Not applicable.
<b>Transport in bulk according to Annex II of Marpol and the IBC Code</b>	Not applicable.
<b>UN "Model Regulation":</b>	not regulated

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Authorisations (REACH, annex XIV):

Substances of very high concern, SVHC (REACH, article 59):  
disodium tetraborate decahydrate; borax decahydrate

Restrictions on use (REACH, annex XVII):

Entry 30: disodium tetraborate decahydrate; borax decahydrate

2004/42/EC (VOC): 49,995 % (549,945 g/l)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road )
IMDG:	International Maritime Code for Dangerous Goods
IATA:	International Air Transport Association
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals
EINECS:	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
CAS:	Chemical Abstracts Service
LC50:	Lethal concentration, 50%
LD50:	Lethal dose, 50%

### Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
----------------	--------------------------



Acute Tox. 4; H302	Calculation method
STOT RE 2; H373	Calculation method

**Relevant H and EUH statements (number and full text)**

- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H360FD May damage fertility. May damage the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H411 Toxic to aquatic life with long lasting effects.

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

---

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)