



## Safety data sheet

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 25.02.2019 Version: 1.0

**TRADE NAME: ETG – YOUR LIFETIME PARTNER**

**Product: Diesel Additive**

**Article No.: 09.01.07.100083**

**EAN: 4051792000835**

**HS code: 38119000**

Date of print: 10.04.2019

### SECTION 1: Identification of the substance / mixture and of the company / undertaking

#### 1.1 Product identifier

**Diesel Additive**

**EAN: 4051792000835**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Main use category: Industrial use, Professional use, Consumer use

Use of the substance/mixture: Cleaning agent for fuel systems

#### 1.3 Uses advised against

No additional information available

#### 1.4 Details of the supplier of the safety data sheet

Meyer-Glitza, Frese GmbH & Co. KG  
Kirchweg 130 - 132  
D-24558 Henstedt-Ulzburg  
+49 (0) 40 / 2360902-0 +49 (0) 40 / 23609-22  
info@meyer-glitza.de  
www.etg-de

#### 1.5 Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum Nord (Göttingen)		+49 (0)551/19240	

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4

Acute toxicity: Acute Tox. 4

Aspiration hazard: Asp. Tox. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Acute 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

Harmful if swallowed.

Harmful if inhaled.



Meyer-Glitza, Frese GmbH & Co. KG  
established 1877

#### contact:

Meyer-Glitza, Frese GmbH & Co. KG  
Kirchweg 130-132 DE-24558 Henstedt-Ulzburg  
tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922

[info@meyer-glitza.de](mailto:info@meyer-glitza.de) [www.etg.de](http://www.etg.de)



Meyer-Glitza, Frese GmbH & Co. KG  
established 1877

May be fatal if swallowed and enters airways.  
Suspected of causing cancer.  
May cause drowsiness or dizziness.  
Very toxic to aquatic life.  
Toxic to aquatic life with long lasting effects.

## 2.2. Label elements

Regulation (EC) No. 1272/2008 [CLP]

### Hazard components for labelling

Hydrocarbons, C10, aromatics, <1% naphthalene  
2-Ethylhexylnitrate  
Solvent naphtha (petroleum), heavy arom.  
Naphthalene

**Signal word:** Danger

**Pictograms:**



### Hazard statements

H302+H332	Harmful if swallowed or if inhaled.
H304	May be fatal if swallowed and enters airways.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

### Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P309+P311	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of this material and its container to hazardous or special waste collection point.

### Special labelling of certain mixtures

EUH044	Risk of explosion if heated under confinement.
EUH066	Repeated exposure may cause skin dryness or cracking.

### Labelling of packages where the contents do not exceed 125 ml

**Signal word:** Danger

**Pictograms:**



**Hazard statements**

H302+H332-H304-H336-H351

**Precautionary statements**

P101-P102-P331-P405-P501

**2.3. Other hazards**

No information available.

**SECTION 3: Composition/information on ingredients**

**3.1. Mixture**

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
	Hydrocarbons, C10, aromatics, <1% naphthalene			40 - < 60 %
	918-811-1		01-2119463583-34	
	STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411			
27247-96-7	2-Ethylhexylnitrate			20 - < 40 %
	248-363-6			
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Aquatic Chronic 2; H332 H312 H302 H411			
64742-94-5	Solvent naphtha (petroleum), heavy arom.			10 - < 20 %
	265-198-5	649-424-00-3	01-2119463588-24	
	STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411			
104-76-7	2-ethylhexanol			1 - < 10 %
	203-234-3			
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H332 H315 H319 H335			
91-20-3	naphthalene			1 - < 10 %
	202-049-5	601-052-00-2		
	Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 3; H302 H315 H317 H412			
91-20-3	naphthalene			1 - < 10 %
	202-049-5	601-052-00-2		
	Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H351 H302 H400 H410			
95-63-6	1,2,4-trimethylbenzene			1 - < 10 %
	202-436-9	601-043-00-3		
	Flam. Liq. 3, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Aquatic Chronic 2; H226 H332 H319 H335 H315 H411			
108-67-8	mesitylene; 1,3,5-trimethylbenzene			1 - < 10 %
	203-604-4	601-025-00-5		
	Flam. Liq. 3, STOT SE 3, Aquatic Chronic 2; H226 H335 H411			

Full text of H and EUH statements: see section 16.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary

#### After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

### 4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

#### Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. In case of fire, use sand, extinguishing powder or alcohol resistant foam.

#### Unsuitable extinguishing media

High power water jet.

### 5.3. Special hazards arising from the substance or mixture

Non-flammable.

### 5.4. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

### 5.5. Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

### 6.2. Environmental precautions

Do not allow to enter into surface water or drains.

### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal

### 6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas / fumes / vapour / spray.

#### Advice on protection against fire and explosion

No special fire protection measures are necessary.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.

Provide adequate ventilation as well as local exhaustion at critical locations

#### Advice on storage compatibility

No special measures are necessary.

### 7.3. Specific end use(s)

Cleaning agent for fuel systems

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Exposure limits (EH40)

CAS No.	Substance	ppm	mg/m <sup>3</sup>	fibres/ml	Category	Origin
104-76-7	2-ethylhexan-1-ol	1	5.4		TWA (8 h)	EU
91-20-3	Naphthalene	10	50		TWA (8 h)	EU
95-63-6	Trimethylbenzenes: 1,2,4-Trimethylbenzene	25	125		TWA (8 h)	WEL
108-67-8	Trimethylbenzenes: Mesitylene	25	125		TWA (8 h)	WEL

### 8.2. Exposure controls



#### Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

#### Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme.

Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

#### Eye/face protection

Wear eye protection/face protection.

#### Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

#### Skin protection

Wear suitable protective clothing.

**Respiratory protection**

In case of inadequate ventilation wear respiratory protection.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**General Information**

Physical state: Liquid  
 Colour : dark amber  
 Odour : characteristic.  
 pH-value: Not determined.

**Changes in the physical state**

Initial boiling point and boiling range: 179 °C  
 Flash point: > 61 °C  
 Lower Explosion limits: 0,25 vol. %  
 Upper Explosion limits: 7 vol. %

**Oxidizing properties**

Not oxidising.  
 Vapour pressure (at 20 °C) 0,9 hPa  
 Partition coefficient Not determined

Density (at 20 °C): 0,89 g/cm<sup>3</sup>  
 Water solubility: practically insoluble

**Solubility in other solvents**

Not determined

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

**10.2. Chemical stability**

The product is stable under storage at normal ambient temperatures.

**10.3. Possibility of hazardous reactions**

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

**10.4. Conditions to avoid**

Oxidising agents, strong

**10.5. Incompatible materials**

No information available.

**10.6. Hazardous decomposition products**

No known hazardous decomposition products.

**SECTION 11: Toxicological information**

**11.1. Information on toxicological effects**

**ATEmix calculated**

ATE (oral) 1918,6 mg/kg; ATE (inhalation aerosol) 4,687 mg/l

**Acute toxicity**

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
104-76-7	2-ethylhexanol				
	oral	LD50 >5000 mg/kg	Rat		OECD 401
	dermal	LD50 >2000	Rabbit		OECD 402

		mg/kg			
	inhalation vapour	LC50	4688 mg/l	Rat	OECD 403
27247-96-7	2-Ethylhexylnitrate				
	oral	LD50 mg/kg	>9640	Rat	
	dermal	LD50 mg/kg	4820	Rabbit	
	inhalation vapour	ATE	11 mg/l		
	inhalation aerosol	LC50	>4,6 mg/l	Rat	
104-76-7	2-ethylhexanol				
	oral	LD50 mg/kg	2047	Rat	OECD 401
	dermal	LD50 mg/kg	>3000	Rat	OECD 402
	inhalation vapour	ATE	11 mg/l		
	inhalation aerosol	ATE	>1,5 mg/l		
91-20-3	naphthalene				
	oral	ATE mg/kg	500		
95-63-6	1,2,4-trimethylbenzene				
	oral	LD50 mg/kg	5000	Rat	RTECS
	inhalation (4 h) vapour	LC50	18 mg/l	Rat	RTECS
	inhalation aerosol	ATE	1,5 mg/l		
108-67-8	mesitylene; 1,3,5-trimethylbenzene				
	inhalation (4 h) vapour	LC50	24 mg/l	Rat	GESTIS

#### Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

## SECTION 12: Ecological information

### 12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
	Hydrocarbons, C10, aromatics, <1% naphthalene					
	Acute fish toxicity	LC50 mg/l	>=2-<=5	96h	Oncorhynchus mykiss (Rainbow trout)	
	Acute crustacea toxicity	EC50 mg/l	>=3-<=10	48h	Daphnia magna (Big water flea)	
27247-96-7	2-Ethylhexylnitrate					
	Acute fish toxicity	LC50	2 mg/l	96h	Brachydanio rerio (zebra-fish)	OECD 203
	Acute algae toxicity	ErC50	1-10 mg/l	72h		OECD 201
	Acute crustacea toxicity	EC50	>10 mg/l	48h	Daphnia magna (Big water flea)	OECD 202
104-76-7	2-ethylhexanol					
	Acute fish toxicity	LD50	17,1 mg/kg	96h	Leuciscus idus (golden orfe)	
	Acute algae toxicity	ErC50	11,5 mg/l	72h	Scenedesmus quadricauda	
	Acute crustacea toxicity	ErC50	39 mg/l	48h	Daphnia magna (Big water flea)	



#### contact:



95-63-6	1,2,4-trimethylbenzene					
	Acute fish toxicity	LC50	7,72 mg/l	96h	Pimephales promelas	
	Acute crustacea toxicity	EC50	3,6 mg/l	48h	Daphnia	ECOTOX Database
108-67-8	mesitylene; 1,3,5-trimethylbenzene					
	Acute fish toxicity	LC50	12,5 mg/l	96h		GESTIS
	Acute crustacea toxicity	EC50	13 mg/l	48h		GESTIS

#### 12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
104-76-7	2-ethylhexanol			
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	>80%	14	

#### 12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
27247-96-7	2-Ethylhexylnitrate	5,24
95-63-6	1,2,4-trimethylbenzene	3,63
108-67-8	mesitylene; 1,3,5-trimethylbenzene	3,42

BCF

CAS No	Chemical name	BCF	Species	Source
27247-96-7	2-Ethylhexylnitrate	1332		

#### 12.4. Mobility in soil

The product has not been tested.

#### 12.5. Results of PBT and vPvB assessment

The product has not been tested.

#### 12.6. Other adverse effects

No information available.

#### Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

## SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

##### Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

##### Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

## SECTION 14: Transport information

#### Land transport (ADR/RID)

- 14.1. UN number:** UN 3082
- 14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(Hydrocarbons, C10, aromatics, <1% naphthalene, 2-ethylhexyl nitrate)
- 14.3. Transport hazard class(es):** 9
- 14.4. Packing group:** III
- Hazard label: 9

#### contact:

Meyer-Glitza, Frese GmbH & Co. KG  
Kirchweg 130-132 DE-24558 Henstedt-Ulzburg  
tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922  
[info@meyer-glitza.de](mailto:info@meyer-glitza.de) [www.etg.de](http://www.etg.de)





Classification code: M6  
 Special Provisions: 274 335 375 601  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 Transport category: 3  
 Hazard No: 90  
 Tunnel restriction code: -

#### Inland waterways transport (ADN)

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (Hydrocarbons, C10, aromatics, <1% naphthalene, 2-ethylhexyl nitrate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9



Classification code: M6  
 Special Provisions: 274 335 375 601  
 Limited quantity: 5 L  
 Excepted quantity: E1

#### Marine transport (IMDG)

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (Hydrocarbons, C10, aromatics, <1% naphthalene, 2-EthylhexylNitrate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9



Marine pollutant: YES  
 Special Provisions: 274, 335, 969  
 Limited quantity: 5 L  
 Excepted quantity: E1  
 EmS: F-A, S-F

#### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3082  
**14.2. UN proper shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
 (Hydrocarbons, C10, aromatics, <1% naphthalene, 2-EthylhexylNitrate)  
**14.3. Transport hazard class(es):** 9  
**14.4. Packing group:** III  
 Hazard label: 9



#### contact:

Meyer-Glitzza, Frese GmbH & Co. KG  
 Kirchweg 130-132 DE-24558 Henstedt-Ulzburg  
 tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922

[info@meyer-glitzza.de](mailto:info@meyer-glitzza.de) [www.etg.de](http://www.etg.de)





Special Provisions:	A97 A158 A197
Limited quantity Passenger:	30 kg G
Passenger LQ:	Y964
Excepted quantity:	E1
IATA-packing instructions - Passenger:	964
IATA-max. quantity - Passenger:	450 L
IATA-packing instructions - Cargo:	964
IATA-max. quantity - Cargo:	450 L

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: yes



Danger releasing substance: (Hydrocarbons, C10, aromatics, <1% naphthalene, 2-Ethylhexylnitrate)

#### 14.6. Special precautions for user

No information available.

#### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: 1,2,4-trimethylbenzene; mesitylene; 1,3,5-trimethylbenzene

Entry 28: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

2010/75/EU (VOC): 72,494 % (619,824 g/l)

2004/42/EC (VOC): 72,494 % (619,824 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D): 2 - clearly water contaminating

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

### 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods



#### contact:

Meyer-Glitza, Frese GmbH & Co. KG  
Kirchweg 130-132 DE-24558 Henstedt-Ulzburg  
tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922

[info@meyer-glitza.de](mailto:info@meyer-glitza.de) [www.etg.de](http://www.etg.de)



IATA: International Air Transport Association  
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service  
 LC50: Lethal concentration, 50%  
 LD50: Lethal dose, 50%

**Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]**

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Acute Tox. 4; H332	Calculation method
Asp. Tox. 1; H304	Calculation method
Carc. 2; H351	Calculation method
STOT SE 3; H336	Calculation method
Aquatic Acute 1; H400	Calculation method
Aquatic Chronic 3; H412	Calculation method

**Relevant H and EUH statements (number and full text)**

H226 Flammable liquid and vapour.  
 H302 Harmful if swallowed.  
 H302+H332 Harmful if swallowed or if inhaled.  
 H304 May be fatal if swallowed and enters airways.  
 H312 Harmful in contact with skin.  
 H315 Causes skin irritation.  
 H319 Causes serious eye irritation.  
 H332 Harmful if inhaled.  
 H335 May cause respiratory irritation.  
 H336 May cause drowsiness or dizziness.  
 H351 Suspected of causing cancer.  
 H400 Very toxic to aquatic life.  
 H410 Very toxic to aquatic life with long lasting effects.  
 H411 Toxic to aquatic life with long lasting effects.  
 EUH044 Risk of explosion if heated under confinement.  
 EUH066 Repeated exposure may cause skin dryness or cracking.

**Further Information**

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)