

Safety data sheet

Safety data sheet according to Regulation (EC) No. 1907/2006

Date / Revised: 27.02.2019 Version: 1.0

TRADE NAME: ETG – YOUR LIFETIME PARTNER

Product: Gasoline Additive - for Motorcycle

Article No.: 09.01.07.100186

EAN: 4051792001863

Ref.

HS code: 38119000

Date of print: 10.04.2019

SECTION 1: Identification of the substance / mixture and of the company / undertaking

1.1 Product identifier

Gasoline Additive - for Motorcycle

EAN: 4051792001863

Ref. No:

1.2 Relevant identified uses of the substance or mixture and uses advised against

Main use category: Industrial use, Professional use, Consumer use

Use of the substance/mixture: Fuel additive Gasoline

1.3 Uses advised against

No additional information available

1.4 Details of the supplier of the safety data sheet

Meyer-Glitza, Frese GmbH & Co. KG

Kirchweg 130 - 132

D-24558 Henstedt-Ulzburg

+49 (0) 40 / 2360902-0 +49 (0) 40 / 23609-22

info@meyer-glitza.de

www.etg-de

1.5 Emergency telephone number

Country	Organisation/Company	Address	Emergency number	Comment
Germany	Giftinformationszentrum Nord (Göttingen)		+49 (0)551/19240	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Regulation (EC) No. 1272/2008 [CLP]

Hazard categories:

Acute toxicity: Acute Tox. 4

Aspiration hazard: Asp. Tox. 1

Skin corrosion/irritation: Skin Irrit. 2

Serious eye damage/eye irritation: Eye Irrit. 2

Respiratory or skin sensitisation: Skin Sens. 1

Carcinogenicity: Carc. 2

Specific target organ toxicity - single exposure: STOT SE 3

Hazardous to the aquatic environment: Aquatic Chronic 3



contact:

Meyer-Glitza, Frese GmbH & Co. KG

Kirchweg 130-132 DE-24558 Henstedt-Ulzburg

tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922

info@meyer-glitza.de www.etg.de



Hazard Statements:
 Harmful if inhaled.
 May be fatal if swallowed and enters airways.
 Causes skin irritation.
 Causes serious eye irritation.
 May cause an allergic skin reaction.
 Suspected of causing cancer.
 May cause respiratory irritation.
 Harmful to aquatic life with long lasting effects..

2.2. Label elements

Regulation (EC) No. 1272/2008 [CLP]

Hazard components for labelling

2-ethylhexanol


Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

Ethanol, 2,2'-iminobis-, N-tallow alkyl derivatives

naphthalene

Signal word: Danger

Pictograms:



Hazard statements

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H412	Harmful to aquatic life with long lasting effects.


Precautionary statements

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P405	Store locked up.
P501	Dispose of this material and its container to hazardous or special waste collection point.

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Pictograms:



Hazard statements

H304-H317-H332-H335-H351-H412

Precautionary statements

P101-P102-P301+P310-P331-P405-P501



contact:

Meyer-Glitza, Frese GmbH & Co. KG
 Kirchweg 130-132 DE-24558 Henstedt-Ulzburg
 tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922
info@meyer-glitzade.de www.etg.de



2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.1. Mixture

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
104-76-7	2-ethylhexanol			40 - < 60 %
	203-234-3			
	Acute Tox. 4, Skin Irrit. 2, Eye Irrit. 2, STOT SE 3; H332 H315 H319 H335			
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics			10 - < 20 %
	918-481-9		01-2119457273-39	
	Asp. Tox. 1; H304 EUH066			
	Phenol, (dimethylamino)methyl-, polyisobutylene derivs.			10 - < 20 %
	Aquatic Chronic 3; H412			
	Hydrocarbons, C10, aromatics, >1% naphthalene			1 - < 10 %
	919-284-0			
	STOT SE 3, Asp. Tox. 1, Aquatic Chronic 2; H336 H304 H411			
61791-44-4	Ethanol, 2,2'-iminobis-, N-tallow alkyl derivates			1 - < 10 %
	263-177-5			
	Acute Tox. 4, Skin Irrit. 2, Skin Sens. 1, Aquatic Chronic 3; H302 H315 H317 H412			
91-20-3	naphthalene			1 - < 10 %
	202-049-5	601-052-00-2		
	Carc. 2, Acute Tox. 4, Aquatic Acute 1, Aquatic Chronic 1; H351 H302 H400 H410			
95-63-6	1,2,4-trimethylbenzene			< 1 %
	202-436-9	601-043-00-3		
	Flam. Liq. 3, Acute Tox. 4, Eye Irrit. 2, STOT SE 3, Skin Irrit. 2, Aquatic Chronic 2; H226 H332 H319 H335 H315 H411			
108-67-8	mesitylene; 1,3,5-trimethylbenzene			< 1 %
	203-604-4	601-025-00-5		
	Flam. Liq. 3, STOT SE 3, Aquatic Chronic 2; H226 H335 H411			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Medical treatment necessary

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. Medical treatment necessary.

After contact with eyes

contact:

Meyer-Glitz, Frese GmbH & Co. KG
Kirchweg 130-132 DE-24558 Henstedt-Ulzburg
tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922
info@meyer-glitz.de www.etg.de



After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious. Medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. In case of fire, use sand, extinguishing powder or alcohol resistant foam.

Unsuitable extinguishing media

High power water jet.

5.3. Special hazards arising from the substance or mixture

Non-flammable.

5.4. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

5.5. Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas / fumes / vapour / spray.

Advice on protection against fire and explosion

No special fire protection measures are necessary.



contact:



7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only.
Provide adequate ventilation as well as local exhaust at critical locations

Advice on storage compatibility

No special measures are necessary.

7.3. Specific end use(s)

Cleaning agent for fuel systems

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Exposure limits (EH40)

CAS No.	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
104-76-7	2-ethylhexan-1-ol	1	5.4		TWA (8 h)	EU
91-20-3	Naphthalene	10	50		TWA (8 h)	EU
95-63-6	Trimethylbenzenes: 1,2,4-Trimethylbenzene	25	125		TWA (8 h)	WEL
108-67-8	Trimethylbenzenes: Mesitylene	25	125		TWA (8 h)	WEL

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Wear eye protection/face protection.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

General Information

Physical state: Liquid
Colour : yellow
Odour : characteristic.



contact:

Meyer-Glitza, Frese GmbH & Co. KG
Kirchweg 130-132 DE-24558 Henstedt-Ulzburg
tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922
info@meyer-glitza.de www.etg.de



pH-value: Not determined.

Changes in the physical state

Initial boiling point and boiling range: 160 - 220 °C

Flash point: > 61 °C

Lower Explosion limits: 0,6 vol. %

Upper Explosion limits: 7 vol. %

Oxidizing properties Not oxidising.

Vapour pressure (at 20 °C) <1 hPa

Partition coefficient Not determined

Density (at 20 °C): 0,84 g/cm³

Water solubility: practically insoluble

Solubility in other solvents Not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

In case of insufficient ventilation and/or through use, explosive/highly flammable mixtures may develop.

10.4. Conditions to avoid

Oxidising agents, strong

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

ATEmix calculated

ATE (oral) 1918,6 mg/kg; ATE (inhalation aerosol) 2,679 mg/l

Acute toxicity

CAS No	Chemical name	Exposure route	Dose	Species	Source	Method
104-76-7	2-ethylhexanol	oral	LD50 2047 mg/kg	Rat	OECD 401	
		dermal	LD50 >3000 mg/kg	Rat	OECD 402	
		inhalation vapour	ATE 11 mg/l			
		inhalation aerosol	ATE 1,5 mg/l			
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics	oral	LD50 >5000 mg/kg	Rat		
		dermal	LD50 >5000 mg/kg	Rabbit		
		inhalation (4 h) aerosol	LC50 >5 mg/l	Rat		
61791-44-4	Ethanol, 2,2'-iminobis-, N-tallow alkyl derivates	oral	ATE 500 mg/kg			
91-20-3	naphthalene					



contact:

Meyer-Glitza, Frese GmbH & Co. KG
Kirchweg 130-132 DE-24558 Henstedt-Ulzburg
tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922

info@meyer-glitza.de www.etg.de



	oral	ATE	500			
		mg/kg				
95-63-6	1,2,4-trimethylbenzene					
	oral	LD50	5000	Rat	RTECS	
		mg/kg				
	inhalation (4 h) vapour	LC50	18 mg/l	Rat	RTECS	
	inhalation aerosol	ATE	1,5 mg/l			
108-67-8	mesitylene; 1,3,5-trimethylbenzene					
	inhalation (4 h) vapour	LC50	24 mg/l	Rat	GESTIS	

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Special hazards arising from the substance or mixture!

SECTION 12: Ecological information

12.1. Toxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h][d]	Species	Source	Method
104-76-7	2-ethylhexanol					
	Acute fish toxicity	LD50 17,1 mg/kg	96h	Leuciscus idus (golden orfe)		
	Acute algae toxicity	Erc50 11,5 mg/l	72h	Scenedesmus quadricauda		
	Acute crustacea toxicity	Erc50 39 mg/l	48h	Daphnia magna (Big water flea)		
64742-48-9	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics					
	Acute fish toxicity	LC50 >1000 mg/l	96h			
	Acute algae toxicity	LC50 >1000 mg/l	72h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 >1000 mg/l	48h	Daphnia		
95-63-6	1,2,4-trimethylbenzene					
	Acute fish toxicity	LC50 7,72 mg/l	96h	Pimephales promelas		
	Acute crustacea toxicity	EC50 3,6 mg/l	48h	Daphnia	ECOTOX Database	
108-67-8	mesitylene; 1,3,5-trimethylbenzene					
	Acute fish toxicity	LC50 12,5 mg/l	96h		GESTIS	
	Acute crustacea toxicity	EC50 13 mg/l	48h		GESTIS	

12.2. Persistence and degradability

The product has not been tested.

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
104-76-7	2-ethylhexanol			
	OECD 301C/ ISO 9408/ EEC 92/69/V, C.4-F	>80%	14	

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
95-63-6	1,2,4-trimethylbenzene	3,63
108-67-8	mesitylene; 1,3,5-trimethylbenzene	3,42



contact:



12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The product has not been tested.

12.6. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

Contaminated packaging

This material and its container must be disposed of as hazardous waste. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

UN-Number

ADR, ADN, IMDG, IATA

No dangerous good in sense of this transport regulation.

UN proper shipping name

ADR, ADN, IMDG, IATA

No dangerous good in sense of this transport regulation.

Transport hazard class(es)

ADR, ADN, IMDG, IATA

No dangerous good in sense of this transport regulation.

Class

Packing group

ADR, IMDG, IATA

No dangerous good in sense of this transport regulation.

Environmental hazards:

Not applicable.

Special precautions for user

Not applicable.

Transport in bulk according to

Annex II of Marpol and the IBC Code

Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3: 1,2,4-trimethylbenzene; mesitylene; 1,3,5-trimethylbenzene

Entry 28: Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics

2010/75/EU (VOC): 72,494 % (619,824 g/l)

2004/42/EC (VOC): 72,494 % (619,824 g/l)

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions:

Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Water contaminating class (D):

2 - clearly water contaminating

15.2. Chemical safety assessment



contact:



Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG:	International Maritime Code for Dangerous Goods
IATA:	International Air Transport Association
GHS:	Globally Harmonized System of Classification and Labelling of Chemicals
EINECS:	European Inventory of Existing Commercial Chemical Substances
ELINCS:	European List of Notified Chemical Substances
CAS:	Chemical Abstracts Service
LC50:	Lethal concentration, 50%
LD50:	Lethal dose, 50%

Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Acute Tox. 4; H302	Calculation method
Asp. Tox. 1; H304	Calculation method
Skin Irrit. 2; H315	Calculation method
Eye Irrit. 2; H319	Calculation method
Skin Sens. 1; H317	Calculation method
Carc. 2; H351	Calculation method
STOT SE 3; H335	Calculation method
Aquatic Chronic 3; H412	Calculation method

Relevant H and EUH statements (number and full text)

H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH066	Repeated exposure may cause skin dryness or cracking.

Further Information

The information is based on present level of our knowledge. It does not, however, give assurances of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)



contact:

Meyer-Glitza, Frese GmbH & Co. KG
Kirchweg 130-132 DE-24558 Henstedt-Ulzburg
tel. +49 (0) 40 23 60 902 fax +49 (0) 40 23 60 922
info@meyer-glitza.de www.etg.de

